



**MATERIAL
SAFETY
DATA SHEET**

MATERIALS SAFETY DATA SHEET

Identification of the Substance/Preparation

Substance or preparation trade name: Parweld Tip Dip

Unique reference numbers WR6050

Composition

Antispatter paste for welding purposes. Vegetable fat. Vaseline - a chemically pure substance. Free of chlorine and silicone.

Hazards Identification

Most Important Hazards: No Significant Hazard

First aid measures

Skin Contact:

May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye Contact:

May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion:

May cause irritation DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

Fire Fighting Measures

Extinguishing Media	Use extinguishing media appropriate to the surrounding fire conditions.
Fire Hazards	None
Protective Equipment	Wear suitable respiratory equipment when necessary.

Accidental Release Measures

Personal Precautions	None.
Environmental Precautions	Do not allow product to enter drains. Prevent further spillage if safe.
Clean Up Methods	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of soapy water.

Handling and Storage

Handling

Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Do not expose to frost. Store in correctly labelled containers.

Exposure Controls

Engineering Measures

Ensure adequate ventilation of the working area.

Hand Protection

Chemical resistant gloves (PVC)

Physical and Chemical Properties

Appearance:

Physical Form: Paste

Appearance: Pink

Odour: Neutral

Important relevant safety parameters:

	Value	Unit	Test method (67/548/EEC)
Coagulation point	+25	°C	DIN ISO 3016
Flamepoint	295	°C	DIN ISO 2592
Relative density (20°C)	0.92	g/cm ³	DIN 51 757
Solubility (20°C)	not soluble		
pH value (20°C), 5%	----		
Viscosity (40°C)	Paste	mm ² /s	DIN 51 562
Ignition Temperature	480	°C	

Stability and Reactivity

Stable under normal conditions.

Toxicological Information

No data is available on this product.

Ecological Information

This product is not fully degradable

Disposal Considerations

General Information

Dispose of in compliance with all local and national regulations.

Disposal Methods

Contact a licensed waste disposal company. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

Disposal of Packaging

Empty containers can be sent for disposal or recycling.

Transport Information

The product is not classified as dangerous for carriage.

Regulatory Information

None

Other Information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.